Overview of NASA-LaRC TWP-ICE Satellite Products

P. Minnis, L. Nguyen, and W. L. Smith

National Aeronautics and Space Administration Langley Research Center

Climate Science Branch

R. Palikonda, M.M. Khaiyer, J. K. Ayers, D. R. Doelling, M. L. Nordeen, D. A. Spangenberg, P. K. Chan, and Y. Yi

Analytical Services and Materials, Inc.

Y. Chan, Q. Z. Trepte, & S. Sun-Mack

Science Application International Corporation

Fu-Lung Chang

National Institute of Aerospace





Introduction

- Daytime: Visible Infrared Solar-infrared Split-Window Technique (VISST)
 - 4 channel iterative model-matching method (0.65, 3.9, 11 and 12 μm)
- Nighttime: Solar-infrared Infrared Split-Window Technique (SIST)
 - 3 channel iterative model-matching method (3.9, 11 and 12 μm)
- Processing MTSAT-1R, FY2-C, Aqua & Terra MODIS, NOAA-15/16/17/18
- Retrieves cloud and radiative properties at nominal resolution of 4km
 - clouds: single-layer VISST, multilayer VISST via CO2 slicing, BTD, and MWR
 - radiation: TOA & surface fluxes via NB-BB
- Pixel and Grid-level data available from http://www-pm.larc.nasa.gov
- Initial results in TWP-ICE archive, update very soon





Cloud Products

Pixel-Level

- Retrieved at instrument pixel resolution
- Each pixel is assigned a phase (clear, water, ice, or super-cooled water)
- Cloud microphysical properties are derived from the pixel radiances

Gridded

- Properties are calculated either by phase and/or by cloud height (low, mid, high, or total)
- Products over the TWP-ICE domain calculated on a 0.5° x 0.5° grid

Surface-Site and Flight Matched


- Means of pixel-derived quantities whose center locations fall within a 10 or 20-km radius of Darwin site
- IOP aircraft flight track matched cloud properties derived from weighted average of 4 closest pixels to aircraft coordinates. Spatial standard deviation is based on weighted distribution of closest pixel & 8 surrounding pixels





GEO Calibrations Using Terra MODIS






• 0.73-μm channel broader than MODIS 0.64 μm, unresolved spectral differences





GEO Calibrations Using Terra MODIS

 $3.75 \mu m$




• FY2-C has some dramatic differences that need correction





GEO Calibrations Using Terra MODIS





• MTSAT very close to Terra, FY2-C a little cooler, noisier





VISST Pixel-Level Cloud Products

0.65 μm Reflectance	Skin Temperature
1.6 μm Reflectance	Cloud Optical Depth
3.7 µm Temperature	Particle Effective Radius/Diameter
6.7 μm Temperature	Liquid/Ice Water Path
10.8 μm Temperature	Cloud Effective Temperature
12 or 13.3 μm Temperature	Cloud Top Pressure
Broadband Albedo	Cloud Effective Pressure
Broadband LW Flux	Cloud Base Pressure
Infrared Emittance	Cloud Top Height
Cloud Mask	Cloud Effective Height
Cloud Phase	Cloud Base Height
Pixel Latitude	Pixel Longitude





VISST Grid-Level Cloud Products

By Cloud Type (liquid, ice, slw, total)	By Cloud Level(low, mid, high, total) *
Cloud Fraction	Cloud Fraction
Cloud Temperature & VIS Reflectance	Cloud Temperature (T, C, B)
Optical Depth (linear and log)	Optical Depth (linear and log)
Cloud Height & Pressure (T, C, B)	Cloud Pressure (T, C, B)
Particle Effective Radius/Diameter	Cloud Height (T, C, B)
Liquid/Ice Water Path	For all Grids
3.7 μm & 10.8 μm Temperatures	Base time, Scan time
Broadband SW Albedo, LW Flux*	VZA, SZA, RAZ
LW & SW Surface Flux	Grid Latitude and Longitude
Infrared Emittance	Clear-Sky 10.8 µm Temperature
* Improved * New	Clear-Sky Visible Reflectance

* LBTM Continuity





NASA Langley Satellite Support Website Tropical Warm Pool International Cloud Experiment (TWP-ICE)

TWP-ICE Homepage

NASA Langley

Real-time Imagery

- -MTSAT -FY2C
- -MTSAT/FY2C
- -AVHRR GAC

Real-time Products

- -MTSAT -FY2C
- -MTSAT/FY2C
- -MODIS -AVHRR
- -DARWIN grd site
- -PIXEL(netcdf)
- -GRIDDED(netcdf)
- -SFC FLUX PRODUCTS

Orbital Predictions


- -Custom Predicts
- -Interactive Tool

Flight Track Overlay

All Aircraft

Flight Track Matched

-All Aircraft vs MTSAT-1R Current MTSAT IR Image Taken on 2006317 (11/13) 0233 UTC



Quick links to latest image: MTSAT IR, MTSAT VIS, MTSAT 1km VIS, FY2C IR, FY2C VIS, FY2C 1km VIS,






Example Cloud Products (Jan 25, 2006 - 0033 UTC) RED=R.65 GRN=T3.9-11 BLUE=T11 Deff (um)






Initial Archive Data Had Biased OLR







Next Edition: Unbiased TOA Radiation







NASA Langley Satellite Support Website Tropical Warm Pool International Cloud Experiment (TWP-ICE)

Aircraft Flight Track Overlay MTSAT Imagery

TWP-ICE Homepage

NASA Langley

Real-time Imagery

- -MTSAT -FY2C
- -MTSAT/FY2C
- -AVHRR GAC

Real-time Products

- -MTSAT -FY2C
- -MTSAT/FY2C
- -MODIS -AVHRR
- DARWIN grd site
- -PIXEL(netcdf)
- -GRIDDED(netcdf)
- -SFC FLUX PRODUCTS

Orbital Predictions

- -Custom Predicts
- -Interactive Tool

Flight Track Overlay

-All Aircraft

Flight Track Matched

-All Aircraft vs MTSAT-1R


Select	a	fligh	nt da	ay.
--------	---	-------	-------	-----

		J	an 2000	5		
Su	Мо	Tu	We	Th	Fr	Sa
15	16	17	18	19	20	21
22	<u>23</u>	24	<u>25</u>	26	<u>27</u>	28
<u>29</u>	<u>30</u>	<u>31</u>				

		F	eb 200	5		
Su	Мо	Tu	We	Th	Fr	Sa
			<u>01</u>	02	<u>03</u>	04
05	<u>06</u>	07	08	<u>09</u>	<u>10</u>	11
12	13	14	15	16	17	18







Egrett tracks on visible and infrared image.

Proteus tracks on visible and infrared image.

Egrett Flight Track overlayed on MTSAT-1R satellite

- JavaScript Loop: <u>Visible</u>, <u>Infrared</u>
- Animated GIF Loop: <u>Visible</u>, <u>Infrared</u>
- VIS image: <u>05:33</u>, <u>08:33</u>, <u>09:33</u>
- IR image: 05:33, 08:33, 09:33

Proteus Flight Track overlayed on MTSAT-1R satellite

- JavaScript Loop: <u>Visible</u>, <u>Infrared</u>
- · Animated GIF Loop: Visible, Infrared
- VIS image: 03:33, 04:33, 05:33, 06:33
- IR image: <u>03:33</u>, <u>04:33</u>, <u>05:33</u>, <u>06:33</u>

Aircraft Navigation Data:

- Proteus
- Egret





NASA Langley Satellite Support Website Tropical Warm Pool International Cloud Experiment (TWP-ICE)

TWP-ICE Homepage NASA Langley

Real-time Imagery

- MTSAT -FY2C
- -MTSAT/FY2C
- -AVHRR GAC

Real-time Products

- -MTSAT -FY2C
- -MTSAT/FY2C
- -MODIS -AVHRR
- -DARWIN ard site
- -PIXEL(netcdf)
- -GRIDDED(netcdf)
- -SFC FLUX PRODUCTS

Orbital Predictions

- Custom Predicts
- Interactive Tool

Flight Track Overlay

-All Aircrafts

Flight Track Matched

-All Aircrafts vs MTSAT-1R

MTSAT-1R/FY2C VISST Derived Cloud Products Along The Aircraft Flight Path Over Darwin


MTSAT-1R/FY2C VISST Derived Cloud Products are computed from the individual aircraft navigation files, where the cloud retrieval parameter is based on the weighted average of the 4 closest (4km) pixels of satellite image to the aircraft coordinates. The (spatial) standard deviation is based on a weighted distribution of the closest pixel and the 8 surrounding pixels.

Select 4 Cloud Parameters	Sigma Plot	Aircraft / Satellite	Flight Days	Start Hour	End Hour
Cloud Optical Depth T	yes 🕝	Proteus 🔻	Jan-25-2006 💌	00.0	24.0
Effective Ice Diameter 💌	yes 🗈	MTSAT-1R ▼			
Cloud Top Height _	yes 🗈		DLOT 1	,	
Ice Water Path	yes 🗈		PLOT		





NASA-Langley MTSAT-1R VISST Derived Cloud Products PROTEUS Matched, 25 JANUARY 2006









Ground Site Data for ARM-TWP Darwin

Site Center Latitude: 12.43° S Site Center Longitude: 131.35° E

2003	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
2004	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
2005	Jan	Feb	Mar	Apr	<u>May</u>	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
2006	Jan	<u>Feb</u>	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Oct	Nov	Dec





MTSAT-1R VISST Derived Cloud Products For ARM-TWP DARWIN Site

MTSAT-1R VISST derived Cloud Products are computed from the individual pixel retrievals from half hourly MTSAT-1R images. The cloud product means and standard deviations are computed from the pixels within both a 10 km (30 pixels) and 20 km (110 pixels) radius centered on the ARM-TWP DARWIN site.

Select up to 4 Cloud Products	Line 1 Select Type / Radius				
1– Cloud Product	Type ▼ 20 km ▼	Cloud Product 💌	Type ▼ 20 km ▼		
2- Cloud Product <u>▼</u>	Type ▼ 20 km ▼	Cloud Product 💌	Type ▼ 20 km ▼		
3- Cloud Product <u>▼</u>	Type ▼ 20 km ▼	Cloud Product 💌	Type ▼ 20 km ▼		
4- Cloud Product <u>▼</u>	Type ▼ 20 km ▼	Cloud Product 💌	Type ▼ 20 km ▼		
January 2006 Start Day 01 ▼	End Day 30 💌	Plot			

Using the data version of Jan 2006





In addition to plots...

ASCII Option

IMG-GMT (hhmmss) - - -	SITE-GMT (fra-dy) - - -	TAU-ln cloud mean 10km ()	TAU-ln cloud mean 20km ()	D-eff ice mean 20km (um)	R-eff liquid mean 20km (um)	Z-top cloud mean 20km (km-msl)	Z-bot cloud mean 20km (km-msl)	IWP ice mean 20km (gm-2)	LWP liquid mean 20km (gm-2)
	05.0345		4 6200	26.5700					
									-99.0000
									-99.0000
									-99.0000
									-99.0000
									-99.0000
									-99.0000
	25.2845	8.2100		37.1600	-99.0000	12.7900		72.0900	-99.0000
	25.3261				-99.0000			44.9100	-99.0000
	25.3680	3.4000		34.1200	9.9400	10.7600	9.2600	27.6200	23.3700
93300	25.4094	2.0800	2.0900	93.5600	-99.0000	14.9800	12.0300	64.2900	-99.0000
103300	25.4511	2.9600	2.4700	104.2700	-99.0000	13.9300	11.0700	89.0000	-99.0000
113300	25.4930	1.9400	2.0700	108.7700	-99.0000	13.8500	11.1900	78.3200	-99.0000
123300	25.5345	2.5900	1.8900	91.8600	-99.0000	13.8000	11.2800	58.6800	-99.0000
133300	25.5761	1.0900	1.2300	69.1300	-99.0000	15.3700	12.8200	35.8500	-99.0000
143300	25.6178	3.6500	2.8900	102.0000	-99.0000	14.7600	11.5200	121.0000	-99.0000
153300	25.6596	2.5800	2.5200	104.7300	-99.0000	14.3800	11.3700	91.5900	-99.0000
163300	25.7013	1.9900	1.5700	103.4000	-99.0000	14.9700	12.2700	63.8200	-99.0000
173300	25.7428	2.2400	2.0600	94.4600	-99.0000	14.4200	11.5700	65.8400	-99.0000
183300	25.7845	1.3600	1.2700	118.4900	-99.0000	15.6500	12.9900	54.0700	-99.0000
193300	25.8261	1.5100	1.3400	117.1800	-99.0000	15.7400	13.0300	59.0800	-99.0000
203300	25.8678	1.5800	1.3900	124.2700	-99.0000	15.5600	12.8500	62.9000	-99.0000
213300	25.9095	-99.0000	-99.0000	-99.0000	-99.0000	-99.0000	-99.0000	-99.0000	-99.0000
223300	25.9511	4.7500	3.7500	48.7000	10.7300	6.2500	5.6400	11.0900	92.7700
233300	25.9929	3.4900	3.7700	22.8300	12.0100	6.7100	5.4700	25.7000	29.6900
	(hhmmss) 3300 13300 23300 33300 43300 53300 63300 73300 83300 103300 113300 123300 123300 133300 143300 153300 163300 173300 183300 193300 203300 213300 223300	(hhmmss) (fra-dy)	(hhmmss) (fra-dy) cloud 10km ()	(hhmmss) (fra-dy) cloud mean mean 10km 20km	(hhmmss) (fra-dy) cloud mean mean mean mean 10km 20km 20km 20km	(hhmmss) (fra-dy) cloud cloud ice liquid - - mean mean mean mean - - () () (um) (um) - - () () (um) (um) - - () (um)	(hhmmss) (fra-dy) cloud mean mean mean mean mean mean mean mean	(hhmmss) (fra-dy) cloud mean mean mean mean mean mean mean mean	(hhmmss) (fra-dy) cloud mean mean mean mean mean mean mean mean






Ongoing Improvements


- Multilayer Cloud Detection/Retrieval
 - CO2 slicing (*Chang & Li, 2005*), BTD (Pavlonis & Heidindger, 2004)
 MCRS (*Minnis et al. 2006*)
- Improved nighttime retrievals (better masking, surface temp estimates)
- Improved twilight cloud mask and retrieved properties
- Reprocessing of AVHRR & MODIS retrievals, new TRMM
- Updated calibrations
- Increased validation with surface, satellite, and aircraft observations
- Gridded products including surface & TOA radiation





Terra MODIS Cloud Properties (Jan 25, 2006 -0130 UTC)











Same Properties from Different Satellites

Example, 25 January 2006, Deff

Terra MODIS 0130 UTC


MTSAT, 0033 UTC











MulW


Multilayer cloud detection

Terra MODIS

Jan 25, 2006




Data Uses; e.g., diurnal cycle studies







Data Uses; e.g., cloud characteristics







Summary

- MTSAT & FY2-C hourly data available at pixel & gridded scales (FY2-C???)
 - Reprocessing in next few weeks with latest calibrations and mask
 Into the archive before end of Nov
- Initial MODIS & AVHRR products available at website, TRMM VIRS to be processed
- Validation with in situ and remote datasets: need collaboration
- These products will be updated as algorithm improvements (such as multi-layered and mixed phase cloud detection) are implemented
- Several WWW based tools are available to provide easy access to the data and new tools are under development
- Comments, suggestions, and feedback are welcome.
- Please visit www-pm.larc.nasa.gov and click on Cloud Products and Satellite Imagery



